



TREE STAND CLIMBER

SKU# GDK-TS-08



ASSEMBLY MANUAL

**Never use this tree stand without a safety harness!
Failure to do so may result in serious injury or even death.**

THE PARTS BELOW HAVE BEEN INCLUDED FOR ASSEMBLY.



a

1 x Camouflage Seat w/ Backrest



b

1 x Top Seat Platform



c

1 x Platform Base



d

2 x 12" Camouflage
Foam Sleeve



e

1 x 16" Camouflage
Foam Sleeve



f

6 x Adjustment Buckles



g

4 x D-Clips



h

2 x Backback Straps



i

1 x 58" Foot Strap



j

1 x 7.5" Foot Strap Buckle



k

1 x 10.5" Stabilizing Strap




l

1 x 66" Stabilizing Strap



m

1 x 82" Nylon Rope



n

2 x Adjusting Cables





o

1 x Body Strap

STEP 1. SETTING UP THE PLATFORM BASE.


You will need the following items to continue.



Insert the **Adjusting Cable** (n) on the openings of the **Platform Base** (c).

Repeat on both sides.

Once inserted, align one of the loops on the **Adjusting Cable** (n) with the first hole of the **Platform Base** (c).



Once the loop on the **Adjusting Cable** (n) is aligned, insert a **D-Clip** (g) through the holes and lock it.

Make sure the D-Clip goes all the way across.

Repeat on both sides.



STEP 1 (cont'd). SETTING UP THE PLATFORM BASE.

You will need the following items to continue.



*Before you continue: Be sure the base is turned upside down when installing the Backpack Straps.

Insert the tip of the **Backpack Strap** **h** with the loop through the base and create a knot, just like displayed in the first diagram.

Insert the opposite tip of the **Backpack Strap** **h** along with the strap adjuster to tighten and adjust the strap. Repeat on the opposite side






Use the **Foot Strap** **i** loophole to create a knot on one end of the base. Create two loops to place your feet by passing the Foot Strap under the platform. Use the **Foot Strap Buckle** **j** to adjust the size of the loops.

Make sure you test the strength of the Foot Strap Buckle to ensure it is installed correctly.

STEP 2. SETTING UP THE TOP SEAT PLATFORM.

You will need the following items to continue.



Insert the **Adjusting Cable** (n) on the openings of the **Top Seat Platform**. (b)

Repeat on both sides.

Once inserted, align one of the loops on the **Adjusting Cable** (n) with the first hole of the **Top Seat Platform**. (b)



Once the loop on the **Adjusting Cable** (n) is aligned, insert a **D-Clip** (g) through the holes and lock it.

Make sure the D-Clip goes all the way across.

Repeat on both sides.




STEP 3. INSTALLING THE CAMOUFLAGED SEAT.

You will need the following items to continue.



Place the 12" Camouflage Foam Sleeve **d** on the side rail arm rests displayed on the diagram.

Place the 16" Camouflage Foam Sleeve **e** on the bottom foot rail displayed on the diagram.



This is what your **Top Seat Platform** will look like after you have placed all three **Camouflage Foam Sleeves**.

STEP 3 (cont'd). INSTALLING THE CAMOUFLAGED SEAT.

You will need the following items to continue.



Place the **Camouflage Seat** **a** on top of the **Top Seat Platform**. **b**

Adjust the straps attached to the **Camouflage Seat** **a** to the side rails of the **Top Seat Platform**, **b** secure and tighten the straps with the **Adjustment Buckles**. **f**



How to tie the buckles:



STEP 4. CARRYING THE TREE STAND.

You will need the following items to continue.



Place the **Top Seat Platform** **b** on the floor just like displayed above. Make sure to fold the **Camouflage Seat** along with the bungee straps. Grab the **Platform Base** **c** (make sure the backpack straps are facing you) and place it on top of the Top Seat Platform. Use the **Nylon Rope** **c** to tie both pieces together and tighten.

